

# HALCYON™ ACOUSTICAL CEILING PANELS

## 1. IDENTIFICATION

### Product identifier

Halcyon™ Acoustical Ceiling Panels

### Synonym(s)

Halcyon™ Canopies, Halcyon™, Halcyon™ Healthcare, Halcyon™ Black, Tranquille, Glass Wool Ceiling Tiles/Panels

### Recommended use

Interior use

### Recommended restrictions

Use in accordance with manufacturer's recommendations.

### Manufacturer / Importer / Supplier / Distributor information/Company name

USG Middle East Ltd

7410 (WASIL) Street #23, Cross 76 (Right)

Second Industrial City

Dammam 34326 - 4201, Kingdom of Saudi Arabia

Tel: +966 13 812 0995 / Fax: +966 13 812 1029

E-mail: info@usgme.com / marketing@usgme.com

Website: <https://www.usgme.com>

## 2. HAZARD(S) IDENTIFICATION

### Emergency Overview

This product is not expected to produce any unusual hazards during normal use according to the Globally Harmonized System of Classification and Labelling of Chemicals (GHS). Exposure to high dust levels may irritate the skin, eyes, nose, throat, or upper respiratory tract. Man-made mineral fibers have been classified by the European Union as irritating to skin.

### Signal word

Void

### Hazard statement

Void

## 3. COMPOSITION/ INFORMATION ON INGREDIENTS

### Mixtures

Chemical name	CAS number	%
Continuous filament glass fiber	65997-17-3	< 70
Aluminum hydroxide	21645-51-2	< 10
Limestone	1317-65-3	< 5
Titanium dioxide	13463-67-7	< 5

### Composition comments

All concentrations are in percent by weight unless ingredient is a gas. Product is composed of continuous fibers that do not qualify as respirable.

Raw materials and/or coatings in this product contain small amounts of titanium dioxide, which has been classified as possibly carcinogenic to humans by the International Agency for Research on Cancer (IARC). However, per IARC "no significant exposure to primary particles of titanium dioxide is thought to occur during the use of products in which titanium dioxide is bound to other materials, such as in paints" (1). See Section 16 for further information.

#### 4. FIRST-AID MEASURES

##### Inhalation

Remove to fresh air. Leave the area of exposure and remain away until coughing and other symptoms subside. Other measures are usually not necessary; however if conditions warrant, contact physician.

##### Skin contact

Direct, prolonged or repeated contact with the skin may cause irritation. Rinse area with plenty of water. Get medical attention if irritation develops and persists.

##### Eye contact

Do not rub eyes. Flush thoroughly with water. If irritation occurs, get medical assistance.

##### Ingestion

This product is not intended to be ingested or eaten. If gastric disturbance occurs, call physician.

##### Most important symptoms/effects, acute and delayed

Mechanical irritation of skin, eyes and respiratory system.

##### Indication of immediate medical attention and special treatment needed

Provide general supportive measures and treat symptomatically.

##### General information

Ensure that medical personnel are aware of the material(s) involved.

#### 5. FIRE-FIGHTING MEASURES

##### Suitable extinguishing media

Use fire-extinguishing media appropriate for surrounding materials.

##### Unsuitable extinguishing media

Not applicable.

##### Specific hazards arising from the chemical

Not a fire hazard.

##### Special protective equipment and precautions for fire fighters

Selection of respiratory protection for fire fighting: follow the general fire precautions indicated in the workplace. Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

##### Fire-fighting equipment/instructions

Use standard fire fighting procedures and consider the hazards of other involved materials.

##### Specific methods

Cool material exposed to heat with water spray and remove it if no risk is involved.

#### 6. ACCIDENTAL RELEASE MEASURES

##### Personal precautions, protective equipment and emergency procedures

See Section 8 of the SDS for Personal Protective Equipment.

##### Methods and materials for containment and cleaning up

No specific clean-up procedure noted. For waste disposal, see Section 13 of the SDS.

#### 7. HANDLING AND STORAGE

##### Precautions for safe handling

Avoid contact with skin and eyes. Wear appropriate personal protective equipment.

Wash hands after handling. Observe good industrial hygiene practices.

##### Conditions for safe storage, including any incompatibilities

Store in a cool, dry, well-ventilated place. Keep away from incompatible materials, open flames and high temperatures. Keep away from moisture. Protect product from physical damage.

#### 8. EXPOSURE CONTROLS/ PERSONAL PROTECTION

##### Occupational exposure limits US. OSHA Table Z-1 Limits for Air

##### Contaminants (29 CFR 1910.1000)

Components	Type	Value	Form
Limestone (CAS 1317-65-3)	PEL	5 mg/m <sup>3</sup> 15 mg/m <sup>3</sup>	Respirable fraction. Total dust.
Titanium dioxide (CAS 13463-67-7)	PEL	15 mg/m <sup>3</sup>	Total dust.

##### US. ACGIH Threshold Limit Values

Components	Type	Value	Form
Aluminum hydroxide (CAS 21645-51-2)	TWA	1 mg/m <sup>3</sup>	Respirable fraction.
Continuous filament glass fiber (CAS 65997-17-3)	TWA	1 fiber/cm <sup>3</sup>	"Respirable fibers (length > 5 µm & aspect ratio 3:1)"

##### US. ACGIH Threshold Limit Values

Components	Type	Value	Form
Titanium dioxide (CAS 13463-67-7)	TWA	5 mg/m <sup>3</sup> 10 mg/m <sup>3</sup>	Inhalable fraction.

## US. NIOSH: Pocket Guide to Chemical Hazards

Components	Type	Value	Form
Continuous filament glass fiber (CAS 65997-17-3)	TWA	3 fibers/cm <sup>3</sup>	Respirable fibers ( $\leq 3.5 \mu\text{m}$ in diameter & $\geq 10 \mu\text{m}$ in length)
Limestone (CAS 1317-65-3)	TWA	5 mg/m <sup>3</sup> 5 mg/m <sup>3</sup> 10 mg/m <sup>3</sup>	Fiber, total Respirable. Total

### Biological limit values

No biological exposure limits noted for the ingredient(s).

### Appropriate engineering controls personal protective equipment

Provide sufficient ventilation for operations causing dust formation. Observe occupational exposure limits and minimize the risk of exposure.

### Individual protection measures, such as personal protective equipment

#### Eye/face protection

Wear approved safety goggles.

#### Skin protection

##### Hand protection

It is a good industrial hygiene practice to minimize skin contact. For prolonged or repeated skin contact use suitable protective gloves.

##### Other

Normal work clothing (long sleeved shirts and long pants) is recommended.

#### Respiratory protection

If engineering controls do not maintain airborne concentrations below recommended exposure limits (where applicable) or to an acceptable level (in countries where exposure limits have not been established), an approved air supplied air respirator must be worn. Use a NIOSH/MSHA approved air purifying respirator as needed to control exposure. Consult with respirator manufacturer to determine respirator selection, use, and limitations. Use positive pressure, air-supplied respirator for uncontrolled releases or when air purifying respirator limitations may be exceeded. Follow respirator protection program requirements (OSHA 1910.134 and ANSI Z88.2) for all respirator use.

#### Thermal hazards

None

### General hygiene considerations

Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Observe any medical surveillance requirements.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

### Appearance

#### Physical state

Solid.

#### Form

Panel.

#### Color

White face with amber core

### Odor

Low to no odor.

### Odor threshold

Not applicable.

### pH

Not applicable.

### Melting point/freezing point

800°C

### Initial boiling point and boiling range

Not applicable.

### Flash point

Not applicable.

### Evaporation rate

Not applicable.

### Flammability (solid, gas)

Not applicable.

### Upper/lower flammability or explosive limits

#### Flammability limit - lower (%)

Not applicable.

#### Flammability limit - upper (%)

Not applicable.

#### Explosive limit - lower (%)

Not applicable.

#### Explosive limit - upper (%)

Not applicable.

### Vapor pressure

Not applicable.

### Vapor density

Not applicable.

### Relative density

0.05 - 0.06(H<sub>2</sub>O=1 Approximately)

### Solubility(ies)

Not soluble.

### Partition coefficient (n-octanol/water)

Not applicable.

### Auto-ignition temperature

Not applicable.

### Decomposition temperature

Not applicable.

10. STABILITY AND REACTIVITY

**Viscosity**

Not applicable.

**Other information**

**Bulk density**

90-150 kg/m<sup>3</sup>

**VOC (Weight %)**

0 %

**Formaldehyde Emissions**

Complies with Class E1 for Formaldehyde Emissions

**Reactivity**

The product is stable and non reactive under normal conditions of storage and transport.

**Chemical stability**

Material is stable under normal conditions.

**Possibility of hazardous reactions**

Hazardous polymerization does not occur.

**Conditions to avoid**

Contact with incompatible materials.

**Incompatible materials**

Strong oxidizing agents.

**Hazardous decomposition products**

Carbon dioxide.

11. TOXICOLOGICAL INFORMATION

**Information on likely routes of exposure**

**Ingestion**

Under normal conditions of intended use, this material does not pose a risk to health.

This product is not intended nor expected to be ingested or eaten.

**Inhalation**

Inhalation of dusts may cause respiratory irritation.

**Skin contact**

Direct, prolonged or repeated contact with the skin may cause irritation.

**Eyes contact**

Direct contact may cause mechanical irritation of the eyes.

**Symptoms related to the physical, chemical and toxicological characteristics**

Mechanical irritation via inhalation or skin contact may cause coughing or difficulty breathing and/or skin redness and itching.

**Information on toxicological effects**

**Acute toxicity**

Low hazard.

Components	Species	Test Results
Aluminum hydroxide (CAS 21645-51-2) <b>Acute</b> Inhalation LC50	Rat	7,6 mg/l, 1 Hours > 0.888 mg/l, 4 Hours
Oral LD50	Rat	> 15900 mg/kg
Titanium dioxide (CAS 13463-67-7) <b>Acute</b> Inhalation LC50	Rat	> 2.28 mg/l, 4 Hours
Oral LD50	Rat	> 11000 mg/kg

---

**Skin corrosion/irritation**

Prolonged skin contact may cause temporary irritation.

**Serious eye damage/eye irritation**

Direct contact with eyes may cause temporary irritation.

**Respiratory or skin sensitization****Respiratory sensitization**

Not a respiratory sensitizer.

**Skin sensitization**

Not a skin sensitizer.

**Germ cell mutagenicity**

Not expected to be mutagenic.

**Carcinogenicity**

This material is not classified as a carcinogen by IARC, ACGIH, NTP or OSHA.

**IARC Monographs. Overall Evaluation of Carcinogenicity**

Continuous filament glass fiber (CAS 65997-17-3): 3 Not classifiable as to carcinogenicity to humans.

**OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)**

Not listed.

**Reproductive toxicity**

Not expected to be a reproductive hazard.

**Specific target organ toxicity - single exposure**

No data available, but none expected.

**Specific target organ toxicity - repeated exposure**

Not classified.

**Aspiration hazard**

Due to the physical form of the product it is not an aspiration hazard.

**Further information**

No other specific acute or chronic health impact noted.

---

**12. ECOLOGICAL INFORMATION****Ecotoxicity**

The product components are not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent releases can have a harmful or damaging effect on the environment.

**Persistence and degradability**

No data is available.

**Bioaccumulative potential**

Bioaccumulation is not expected.

**Mobility in soil**

The product is not mobile in soil.

**Other adverse effects**

None expected.

---

**13. DISPOSAL CONSIDERATIONS****Disposal instruction**

Dispose in accordance with applicable federal, state, and local regulations. Recycle responsibly.

**Local disposal regulations**

Dispose of in accordance with local regulations.

**Hazardous waste code**

Not regulated.

**Waste from residues / unused products**

Dispose of in accordance with local regulations.

**Contaminated packaging**

Dispose of in accordance with local regulations.

---

**14. TRANSPORT INFORMATION****DOT**

Not regulated as dangerous goods.

**IATA**

Not regulated as a dangerous good.

**IMDG**

Not regulated as a dangerous good.

**Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code**

Not applicable. This product is a solid. Therefore, bulk transport is governed by IMSBC code.

---

## 15. REGULATORY INFORMATION

### Saudi Arabian Inventory of Chemical Substance:

CAS#	5997-17-3	Continuous filament glass fiber
CAS#	21645-51-2	Aluminum hydroxide
CAS#	1317-65-3	Limestone
CAS#	13463-67-7	Titanium dioxide

### Issue date

19-April-2018

### Revision date

1-December-2022

### Version #

02

### Further information

The International Agency for Research on Cancer (IARC) in June, 1987, categorized continuous filament glass fibers as not classifiable with respect to human carcinogenicity (Group 3). The evidence from human as well as animal studies was evaluated by IARC as insufficient to classify continuous filament glass fiber as a possible, probable, or confirmed cancer causing material. The ACGIH has established a TLV (Threshold Limit Value or recommended exposure limit) for continuous filament glass fiber of 1 fiber per cubic centimeter of air for respirable fibers and 5 mg per cubic meter of air for inhalable glass fiber dust. These levels were established to prevent mechanical irritation of the upper airways.

IARC, NTP (US National Toxicology Program) and OSHA (US Occupational Safety and Health Administration) do not list continuous filament glass fibers as a carcinogen.

As manufactured, continuous filament glass fibers in this product are not respirable. Continuous filament glass products that are chopped, crushed or severely mechanically processed during manufacturing or use may contain a very small amount of respirable particulate, some of which may be glass shards.

“Titanium dioxide: Raw materials and/or coatings in this product contain small amounts of titanium dioxide. The International Agency for Research on Cancer (IARC) has determined that titanium dioxide is possibly carcinogenic to humans (Group 2B) based on inadequate evidence in humans and sufficient evidence in experimental animals. This conclusion relates to long-term inhalation exposure to high concentrations of pigmentary (powdered) or ultrafine titanium dioxide. However, no significant exposure to primary particles of titanium dioxide is thought to occur during the use of products in which titanium dioxide is bound to other materials, such as in paints. The available human studies do not suggest an association between occupational exposure to titanium dioxide and risk for cancer (1). The American Conference of Governmental Industrial Hygienists (ACGIH) has designated this chemical as not classifiable as a human carcinogen (A4). The US National Toxicology Program (NTP) has not listed this chemical in its report on carcinogens.”

NFPA Ratings:


Health: 1

Flammability: 0

Physical hazard: 0

Hazard Scale: 0 = Minimal 1 = Slight 2 = Moderate 3 = Serious 4 = Severe

### NFPA Ratings:



### List of abbreviations

GHS: Globally Harmonized System of Classification and Labelling of Chemicals

CAS: Chemical Abstracts Service (division of the American Chemical Society)

IARC: International Agency for Research on Cancer

TWA: Time Weighted Average

PEL: Permissible Exposure Limit

### Disclaimer

This information is provided without warranty. The information is believed to be correct. This information should be used to make an independent determination of the methods to safeguard workers and the environment.

## 16. OTHER INFORMATION, INCLUDING DATE OF PREPARATION OR LAST REVISION

### Notice:

As we are involved in constant products development; this document information is subject to change without prior notice. Please always refer to [usgme.com](http://usgme.com) for the updated products information document.

©2022 Factory of USG Middle East LTD. Co. All rights reserved.