

CEILINGS

# CELEBRETTO®

COLORS, FINISHES AND  
PERFORATION PATTERNS


**USG ME**   
INNOVATIVE SOLUTIONS. EVERYTIME.



## COLORS, FINISHES AND PERFORATION PATTERNS

### STANDARD FINISHES

#### RAL COLORS



RAL 9016


RAL 9010

RAL 9006

RAL 9007

RAL 9005

#### WOODEN FINISHES




WF1

WF2

WF3

### PREMIUM FINISHES\*

#### POWDER COATING COLORS



PF01  
Infinity White  
JF 1301  
1007240

PF02  
Sphinx Beige  
JF 1301  
1006930

PF03  
Titanium Silver  
JF1301  
1006967

PF04  
Grey  
JF 1303  
1203676PX20


PF05  
Concord Grey  
JF 1301  
1006975

PF06  
Champagne  
JF 1301  
100637

PF07  
Grey  
JF 1303  
1203676PX20

PF08  
RAL 9006  
JF 1308  
1006824PX20

PF09  
Grey (Bonded)  
JF 1303  
1210769PX20



PF10  
Beige Grit  
JF 5401  
1214921PX20

PF11  
RAL 9007  
JF 1301  
1008530PX20

PF12  
RAL 9022  
JF 308  
1006822PX20

PF13  
RAL 9007  
JF 1308  
1006843PX20


PF14  
Aztec Grit  
JF 1301  
1007042

PF15  
Atlantis Grey  
JF 1301  
1006969

PF16  
RAL 1035  
JF 1307  
1224450PX20

PF17  
RAL 7048  
JF 1308  
1006842PX20

PF18  
Grey (Bonded)  
JF 1301  
1214429PX20



PF19  
RAL 9023  
JF 1308  
1006887PX20

PF20  
Grey (Bonded)  
JF 1303  
120875PX20

PF21  
Grey  
JF 1301  
1206593

PF22  
Grey  
JF 1301  
1214211PX20

PF23  
Black Grit  
JF 5401  
1214184PX20





PF24  
Grey (Bonded)  
JF 1303  
1213891PX20

PF25  
Black Sparkle  
Metallic (Bonded)  
JF 1308  
1027743PX20

PF26  
Gold (Bonded)  
JF 1303  
1210630PX20

PF27  
RAL 1036  
JF 1303  
1038505PX20

Printed colors may vary from the original. Always refer to actual samples.



\* Available upon request. Check with our technical team for lead time delivery.

## SPECIAL COAT



**ANTI BACTERIAL FINISH**  
Available for Standard RAL Colors only



**UD1**  
Ultra Durable For Exterior Application



**POLYVINYLIDENE FLUORIDE (PVDF) COATING**  
PVDF is a custom formulated system that provides extra durability, excellent weatherability, and high formability for exterior applications.  
Available in RAL standard colors. Other colors may be available upon request.

Printed colors may vary from the original. Always refer to actual samples.

## COLORS, FINISHES AND PERFORATION PATTERNS


### WOODEN FINISHES




WFP01  
BEECH 1




WFP02  
BEECH 2




WFP03  
PINE




WFP04  
OAK




WFP05  
CHERRY 1



WFP06  
CHERRY 2




WFP07  
WALNUT



WFP08  
ROSE WOOD


### ANODIZED FINISHES



AZ01  
G4 DARK GOLD



AZ02  
G3 LIGHT GOLD




AZ03  
E6 SILVER NATURAL



AZ04  
3145 CHAMPAGNE BRONZE



AZ05  
3165 LIGHT BRONZE



AZ06  
3175 MEDIUM BRONZE



AZ07  
3178 DARK BRONZE




AZ08  
3178 DARK BRONZE

### SPECIAL FINISHES




STANDARD PERFORATION PATTERNS

PATTERN NO. 7E




Even Pattern. **Hole Size Dia (A):** 0.75mm, **Pitch (B):** 5mm,  
**Open Area:** 1%

PATTERN NO. 15E




Even Pattern. **Hole Size Dia (A):** 1.5mm, **Pitch (B):** 4mm,  
**Open Area:** 11%

PATTERN NO. B1




Even Pattern. **Hole Size Dia (A):** 1.8mm, **Pitch (B):** 5mm,  
**Open Area:** 10%

PATTERN NO. B2




Even Pattern. **Hole Size Dia (A):** 2.5mm, **Pitch (B):** 5.5mm,  
**Open Area:** 16%

PATTERN NO. 15D



Diagonal Pattern. **Hole Size Dia (A):** 1.5mm, **Pitch(B):** 2mm  
**Pitch(C):** 4mm, **Open Area:** 22%


PATTERN NO. A1



Diagonal Pattern. **Hole Size Dia (A):** 1.8mm, **Pitch (B):** 2.5mm  
**Pitch (C):** 5mm, **Open Area:** 20%


### PREMIUM PERFORATION PATTERNS

PATTERN NO. 50D




Diagonal Pattern. **Hole Size Dia (A):** 5mm, **Pitch (B):** 5mm, **Pitch (C):** 10mm, **Pitch (D):** 15mm, **Pitch (E):** 7.5mm, **Open Area:** 32%

PATTERN NO. BR30R




Braille Pattern. **Hole Size Dia (A):** 30mm, **Open Area:** 36%

PATTERN NO. BR321630




Braille Pattern. **Hole Size Dia (A):** 32mm, **Pitch (B):** 16mm, **Pitch (C):** 40mm, **Open Area:** 30%

PATTERN NO. HX5D




Hexagon Diagonal Pattern. **Hole Size (A):** 5mm, **Pitch (B):** 4mm, **Pitch (C):** 8mm, **Open Area:** 29%

PATTERN NO. SQ4E




Straight Line Pattern. **Hole Size (A):** 4mm, **Pitch (B):** 9mm, **Open Area:** 20%

PATTERN NO. TR10



Triangular Pattern. **Triangle Size (A):** 10mm, **Pitch (B):** 9.16mm, **Pitch (C):** 18.32mm, **(D):** 4.8mm, **Open Area:** 30%

PATTERN NO. OB2014



Oblong Pattern. **Hole Size (A):** 2mm, **(B):** 14mm, **Pitch (C):** 22mm, **Pitch (D):** 7mm, **Open Area:** 17%

**CUSTOM PERFORATION PATTERNS  
ARE AVAILABLE UPON REQUEST**

## METAL CEILING ACOUSTICAL PERFORMANCE

USG Middle East supplies metal ceiling panels with a range of acoustical performance to meet the needs of all kinds of projects. A variety of sound-absorbing backing options are available with performance up to 1.0 NRC and 35dB CAC depending on ceiling type and infill option. Consult with the USG Middle East technical team for further guidance.

| PATTERN | OPEN AREA% | CELEBRETTO® METAL CEILING INFILL OPTIONS                     | CAC | NRC  | Class | Frequency Hz |      |      |      |      |
|---------|------------|--------------------------------------------------------------|-----|------|-------|--------------|------|------|------|------|
|         |            |                                                              |     |      |       | 125          | 250  | 500  | 1000 | 2000 |
| A1      | 20%        | Acoustic fleece                                              | -   | 0.75 | B     | 0.70         | 0.95 | 0.75 | 0.75 | 0.80 |
| A1      | 20%        | 19mm Soft Fiber infill                                       | -   | 0.90 | A     | 0.65         | 0.85 | 0.80 | 1.00 | 1.00 |
| A1      | 20%        | 15mm Mineral Fiber infill                                    | 32  | -    | -     | -            | -    | -    | -    | -    |
| A1      | 20%        | Acoustic fleece & 30mm Stonewool & 19mm Mineral Fiber infill | 32  | 0.90 | B     | 0.50         | 0.55 | 0.85 | 1.00 | 1.00 |
| A1      | 20%        | Acoustic fleece & 25mm Glasswool & 12mm Gypsum infill        | 30  | 0.85 | C     | 0.55         | 0.45 | 0.75 | 1.00 | 1.00 |
| A1      | 20%        | Acoustic fleece & 30mm Stonewool & Aluminum Foil             | 34  | 1.00 | A     | 0.70         | 0.90 | 1.00 | 1.00 | 1.00 |
| B2      | 16%        | Acoustic fleece                                              | -   | 0.60 | C     | 0.65         | 0.75 | 0.55 | 0.55 | 0.60 |
| 15D     | 22%        | Acoustic fleece                                              | -   | 0.60 | C     | 0.70         | 0.65 | 0.55 | 0.55 | 0.60 |
| 15D     | 22%        | Acoustic fleece & 30mm Stonewool & Aluminum Foil             | 30  | 0.80 | B     | 0.70         | 0.85 | 0.75 | 0.75 | 0.80 |
| 15E     | 11%        | Acoustic fleece                                              | -   | 0.65 | C     | 0.60         | 0.80 | 0.60 | 0.60 | 0.70 |
| 15E     | 11%        | Acoustic fleece & 30mm Stonewool & Aluminum Foil             | 27  | 0.80 | B     | 0.80         | 0.80 | 0.75 | 0.80 | 0.85 |
| 7E      | 1%         | Acoustic fleece                                              | -   | 0.65 | C     | 0.80         | 0.75 | 0.65 | 0.65 | 0.60 |
| 7E      | 1%         | Acoustic fleece & 30mm Stonewool & Aluminum Foil             | 26  | 0.90 | C     | 0.80         | 0.85 | 0.85 | 0.95 | 0.85 |
| A1      | 20%        | Intersecto Metal Ceiling with Infill                         | 35  | 0.70 | C     | 0.50         | 0.60 | 0.65 | 0.75 | 0.70 |
| A1      | 20%        | Paraline Baffles 40X120 C120 with 38mm Soft Fiber infill     | -   | 0.85 | -     | 0.25         | 0.50 | 1.00 | 1.00 | 1.00 |
| A1      | 20%        | Paraline Baffles 50X100 C100 with 50mm Soft Fiber infill     | -   | 0.60 | D     | 0.15         | 0.35 | 0.50 | 0.75 | 0.70 |

## LIGHT REFLECTANCE

| Metal Tile Description                                                    | RAL 9006 | RAL 9016 | RAL 9010 | RAL 7047 |
|---------------------------------------------------------------------------|----------|----------|----------|----------|
|                                                                           | LR       | LR       | LR       | LR       |
| Plain Metal Ceiling                                                       | 32%      | 74%      | 82%      | 56%      |
| Perforated Metal Ceiling, 1.8mm diameter hole, Diagonal Perforation (20%) | 27%      | 59%      | 64%      | 45%      |

LR results as per ASTM E1477





**SEE US ON LINKEDIN**  
/usgme



**FIND US ON FACEBOOK**  
/usgme



**FOLLOW US ON INSTAGRAM**  
/usg\_me



**FOLLOW US ON TWITTER**  
/usg\_me



**SEE US ON YOUTUBE**  
/USG Middle East



**MESSAGE US ON WHATSAPP**  
/+966 92 003 5672

**FACTORY OF USG MIDDLE EAST LTD. CO.**

7410 (Wasil), Street #23, Cross 76  
2nd Industrial City, Dammam 34326-4201  
Kingdom of Saudi Arabia

**CUSTOMER SERVICE**

t +966 13 812 0995  
f +966 13 812 1029  
info@usgme.com  
www.usgme.com

**WEBSITE**

www.usgme.com



**WHATSAPP**

+966 92 003 5672



**USG ME**   
INNOVATIVE SOLUTIONS. EVERYTIME.