


CELEBRETTO®

METAL CANOPIES



HIGH SOUND
ABSORPTION

CEILING
ATTENUATION
CLASS


METAL CANOPIES DRAWINGS

FEATURES AND BENEFITS


- Decorative floating elements, which can be configured to various shapes and sizes.
- Exceptional sound absorption with NRC values up to 0.90.
- Wide range of colors and finishes.
- Ideal for providing both visual accents and acoustical control.
- Easy to install.

APPLICATIONS

- Open-plenum areas
- Convention halls and concourses
- Reception and lobby areas
- Offices with indirect lighting
- Media rooms
- Libraries
- Restaurants
- Retail
- Hospitality




AVAILABLE COLOR



Explore our complete range of options in **CELEBRETTO® Colors, Finishes and Perforations Pattern** catalogue for detailed insights.




METAL CANOPIES SYSTEM DRAWINGS






SYSTEM COMPONENTS

SYSTEM SPECIFICATION




Metal Canopy



Slotted Track



Suspension System



Material Classification

Type C,
Form C1, C2,
Pattern A, B, C, G

Panel Thickness

Powder coat finish: 0.6mm – 1.4mm
Wooden finish: 0.6mm

Panel Height

50mm to 100mm

Panel Arrangements

Refer to the systems configuration table

Color

Standard colors are RAL 9005, RAL 9006, RAL 9016.

Other RAL colors are available upon request.

Light Reflectance Coefficient [LR]

Based on the finish color, Up to 0.82

Surface Burning Characteristics per ASTM E 84

Class A





Infill Option

Available in soft fiber infill option

Additional Information






- Thickness depends on panel sizes and project requirements
- Consult USG Middle East technical team for other panel widths

INFILL OPTIONS*

| Plain | Acoustic Fleece | Acoustic Fleece and Soft Fiber | Acoustic Fleece and Mineral Fiber |
|---|---|--|---|
|  |  |  |  |

* Additional backer options available for NRC and CAC enhanced total acoustical performance

SYSTEMS CONFIGURATIONS*

| Square | Parallelogram | Rectangle |
|---|--|--|
|  |  |  |
| Trapezoid | Hexagon | |
|  |  | |

* Refer to USG Middle East technical team for size limitation and suspension accessories. Other configurations are available upon request.

ITEM CODIFICATION

A: Aluminium
 S: Steel
 SS: Stainless Steel
 CPY: Canopy
 150: Canopy Height
 Hex: Hexagonal Shape
 1000: Canopy Diameter
 14: Material Thickness (1.4mm Thickness)
 R1035: RAL 1035

ACPY150-HEX-100014R1035