


DRYWALL TRACK U SHAPE

TR3050-060

| | | | |
|-------|--------|-------|-----------|
| Track | Flange | Width | Thickness |
|-------|--------|-------|-----------|

Regular, Deep And Extra Deep Flange



DESCRIPTION

- Used in framing applications as the top and bottom channels for securing wall studs at floor and ceiling junctions.
- Available in regular flange track, deep flange track and extra deep track.

MATERIAL PROPERTIES

- **Thickness:** 0.45mm-1.5mm
- **Width:** 40, 50, 64, 72, 75, 92, 100, 125, 150 and 200mm
- **Flange:** 30/30mm, 50/50mm, 70/70mm
- **Galvanization:** G40-G90 Zinc coating, Yield stress, Fy 33 ksi Ultimate

ASTM & CODE STANDARDS

- Wall Tracks are produced to meet ASTM C645 and C955
- Galvanized sheet steel meets requirements of ASTM A-653
- For installation & storage information refer to ASTM C1007 & C754

GREEN BENEFITS AND RECYCLED CONTENT

- LEED Credit MR 2 - USG products are manufactured from cold formed steel. Steel is 100% recyclable, which helps divert debris from the waste stream.
- LEED Credit MR 4 - USG's steel products have a minimum of 25.5% post-consumer recycled content, and 6.8% pre-consumer.

PACKAGING

| Regular Flange Tracks (30/30mm) | | | Deep Flange/ Extra Deep Flange Tracks (50/50; 70/70mm) | | |
|---------------------------------|---------------|--------------|--|---------|---------|
| Width | 0.45 to 0.6mm | 0.7 to 1.5mm | Width | 50/50mm | 70/70mm |
| 40mm | 300 Pcs | 300 Pcs | 50mm | 240 Pcs | 180 Pcs |
| 50mm | 300 Pcs | 300 Pcs | 64mm | 192 Pcs | 144 Pcs |
| 64mm | 288 Pcs | 288 Pcs | 72/75mm | 160 Pcs | 120 Pcs |
| 72/75mm | 260 Pcs | 240 Pcs | 92mm | 128 Pcs | 96 Pcs |
| 92mm | 192 Pcs | 192 Pcs | 100mm | 112 Pcs | 84 Pcs |
| 100mm | 168 Pcs | 168 Pcs | 125mm | 96 Pcs | 72 Pcs |
| 125mm | 144 Pcs | 144 Pcs | 150mm | 80 Pcs | 60 Pcs |
| 150mm | 120 Pcs | 120 Pcs | 200mm | 64 Pcs | 48 Pcs |
| 200mm | 96 Pcs | 96 Pcs | | | |

SECTION & MATERIAL PROPERTIES

| Track Type | Thickness (mm) | Flange (mm) | Width (mm) | Section Area (mm ²) | Centroid (mm) | Moment of inertia (Ixx)(mm ⁴) | Section Modulus (Sx)(mm ³) | Radius of Gyration (mm) | Steel Mechanical Properties | | |
|----------------|----------------|-------------|------------|---------------------------------|---------------|---|--|-------------------------|----------------------------------|------------------------------------|----------------|
| | | | | | | | | | Yield strength N/mm ² | Tensile strength N/mm ² | Elongation (%) |
| Regular Flange | 0.45 | 30 / 30 | 40 | 44.10 | 20.00 | 12,958.82 | 647.94 | 17.14 | 297-308 | 366-372 | 28-29 |
| | 0.50 | 30 / 30 | | 49.00 | 20.00 | 14,369.00 | 718.00 | 17.12 | 297-308 | 366-372 | 29-30 |
| | 0.55 | 30 / 30 | | 53.90 | 20.00 | 15,774.00 | 789.00 | 17.11 | 297-308 | 366-372 | 29-30 |
| | 0.60 | 30 / 30 | | 58.80 | 20.00 | 17,172.00 | 859.00 | 17.09 | 297-308 | 366-372 | 29-30 |
| | 0.70 | 30 / 30 | | 68.60 | 20.00 | 19,952.00 | 998.00 | 17.05 | 297-308 | 366-372 | 30-31 |
| | 0.80 | 30 / 30 | | 78.40 | 20.00 | 22,709.00 | 1,135.00 | 17.02 | 297-308 | 366-372 | 30-31 |
| | 0.90 | 30 / 30 | | 88.20 | 20.00 | 25,443.00 | 1,272.00 | 16.98 | 297-308 | 366-372 | 30-31 |
| | 1.00 | 30 / 30 | | 98.00 | 20.00 | 28,153.00 | 1,407.00 | 16.95 | 297-308 | 366-372 | 30-31 |
| | 1.20 | 30 / 30 | | 117.60 | 20.00 | 33,506.00 | 1,675.00 | 16.88 | 297-308 | 366-372 | 30-31 |
| | 1.50 | 30 / 30 | | 147.00 | 20.00 | 41,368.00 | 2,068.00 | 16.78 | 297-308 | 366-372 | 31-32 |
| | 0.45 | 30 / 30 | 50 | 48.60 | 25.00 | 21,260.00 | 850.00 | 20.92 | 297-308 | 366-372 | 28-29 |
| | 0.50 | 30 / 30 | | 54.00 | 25.00 | 23,585.00 | 943.50 | 20.90 | 297-308 | 366-372 | 29-30 |
| | 0.55 | 30 / 30 | | 59.40 | 25.00 | 25,904.00 | 1,036.00 | 20.88 | 297-308 | 366-372 | 29-30 |
| | 0.60 | 30 / 30 | | 64.80 | 25.00 | 28,214.00 | 1,129.00 | 20.87 | 297-308 | 366-372 | 29-30 |
| | 0.70 | 28 / 28 | | 71.40 | 25.00 | 32,813.00 | 1,312.00 | 21.44 | 297-308 | 366-372 | 30-31 |
| | 0.80 | 28 / 28 | | 81.60 | 25.00 | 37,384.00 | 1,495.00 | 21.40 | 297-308 | 366-372 | 30-31 |
| | 0.90 | 28 / 28 | | 91.80 | 25.00 | 41,925.00 | 1,677.00 | 21.37 | 297-308 | 366-372 | 30-31 |
| | 1.00 | 28 / 28 | | 102.00 | 25.00 | 46,437.00 | 1,857.00 | 21.34 | 297-308 | 366-372 | 30-31 |
| | 1.20 | 28 / 28 | | 122.40 | 25.00 | 55,374.00 | 2,215.00 | 21.27 | 297-308 | 366-372 | 30-31 |
| | 1.50 | 28 / 28 | | 153.00 | 25.00 | 68,567.00 | 2,743.00 | 21.17 | 297-308 | 366-372 | 31-32 |
| | 0.45 | 30 / 30 | 64 | 54.90 | 32.00 | 37,091.00 | 1,159.00 | 25.99 | 297-308 | 366-372 | 28-29 |
| | 0.50 | 30 / 30 | | 61.00 | 32.00 | 41,165.00 | 1,286.00 | 25.98 | 297-308 | 366-372 | 29-30 |
| | 0.55 | 30 / 30 | | 67.10 | 32.00 | 45,229.00 | 1,413.00 | 25.96 | 297-308 | 366-372 | 29-30 |
| | 0.60 | 30 / 30 | | 73.20 | 32.00 | 49,284.00 | 1,540.00 | 25.95 | 297-308 | 366-372 | 29-30 |
| | 0.70 | 28 / 28 | | 82.60 | 32.00 | 57,366.00 | 1,793.00 | 26.35 | 297-308 | 366-372 | 30-31 |
| | 0.80 | 28 / 28 | | 94.40 | 32.00 | 65,410.00 | 2,044.00 | 26.32 | 297-308 | 366-372 | 30-31 |
| | 0.90 | 28 / 28 | | 106.20 | 32.00 | 73,416.00 | 2,294.00 | 26.29 | 297-308 | 366-372 | 30-31 |
| | 1.00 | 28 / 28 | | 118.00 | 32.00 | 81,385.00 | 2,543.00 | 26.26 | 297-308 | 366-372 | 30-31 |
| | 1.20 | 28 / 28 | | 141.60 | 32.00 | 97,212.00 | 3,037.00 | 26.20 | 297-308 | 366-372 | 30-31 |
| | 1.50 | 28 / 28 | | 177.00 | 32.00 | 120,675.00 | 3,771.00 | 26.11 | 297-308 | 366-372 | 31-32 |
| | 0.45 | 30 / 30 | 72 | 58.50 | 36.00 | 48,553.00 | 1,349.00 | 28.8 | 297-308 | 366-372 | 28-29 |
| | 0.50 | 30 / 30 | | 65.00 | 36.00 | 53,895.00 | 1,497.00 | 28.8 | 297-308 | 366-372 | 29-30 |
| | 0.55 | 30 / 30 | | 71.50 | 36.00 | 59,225.00 | 1,645.00 | 28.8 | 297-308 | 366-372 | 29-30 |
| | 0.60 | 30 / 30 | | 78.00 | 36.00 | 64,545.00 | 1,792.00 | 28.8 | 297-308 | 366-372 | 29-30 |
| | 0.70 | 28 / 28 | | 87.50 | 36.00 | 75,153.00 | 2,088.00 | 29.3 | 297-308 | 366-372 | 30-31 |
| | 0.80 | 28 / 28 | | 100.00 | 36.00 | 85,719.00 | 2,381.00 | 29.3 | 297-308 | 366-372 | 30-31 |
| 0.90 | 28 / 28 | 112.50 | | 36.00 | 96,243.00 | 2,673.00 | 29.2 | 297-308 | 366-372 | 30-31 | |
| 1.00 | 28 / 28 | 125.00 | | 36.00 | 96,242.00 | 2,673.00 | 27.7 | 297-308 | 366-372 | 30-31 | |
| 1.20 | 28 / 28 | 150.00 | | 36.00 | 127,561.00 | 3,543.00 | 29.2 | 297-308 | 366-372 | 30-31 | |
| 1.50 | 28 / 28 | 187.50 | | 36.00 | 158,504.00 | 4,403.00 | 29.1 | 297-308 | 366-372 | 31-32 | |
| 0.45 | 30 / 30 | 75 | 59.85 | 37.50 | 53,335.00 | 1,422.00 | 29.9 | 297-308 | 366-372 | 28-29 | |
| 0.50 | 30 / 30 | | 66.50 | 37.50 | 59,205.00 | 1,579.00 | 29.8 | 297-308 | 366-372 | 29-30 | |
| 0.55 | 30 / 30 | | 73.15 | 37.50 | 65,065.00 | 1,735.00 | 29.8 | 297-308 | 366-372 | 29-30 | |
| 0.60 | 30 / 30 | | 79.80 | 37.50 | 70,913.00 | 1,891.00 | 29.8 | 297-308 | 366-372 | 29-30 | |
| 0.70 | 28 / 28 | | 88.90 | 37.50 | 82,576.00 | 2,202.00 | 30.5 | 297-308 | 366-372 | 30-31 | |
| 0.80 | 28 / 28 | | 101.60 | 37.50 | 94,195.00 | 2,512.00 | 30.4 | 297-308 | 366-372 | 30-31 | |
| 0.90 | 28 / 28 | | 114.30 | 37.50 | 105,770.00 | 2,820.00 | 30.4 | 297-308 | 366-372 | 30-31 | |
| 1.00 | 28 / 28 | | 127.00 | 37.50 | 117,301.00 | 3,128.00 | 30.4 | 297-308 | 366-372 | 30-31 | |
| 1.20 | 28 / 28 | | 152.40 | 37.50 | 140,232.00 | 3,740.00 | 30.3 | 297-308 | 366-372 | 30-31 | |
| 1.50 | 28 / 28 | | 190.50 | 37.50 | 174,302.00 | 4,648.00 | 30.2 | 297-308 | 366-372 | 31-32 | |

| Track Type | Thickness (mm) | Flange (mm) | Width (mm) | Section Area (mm ²) | Centroid (mm) | Moment of inertia (Ixx)(mm ⁴) | Section Modulus (Sx)(mm ³) | Radius of Gyration (mm) | Steel Mechanical Properties | | | |
|----------------|----------------|-------------|------------|---------------------------------|---------------|---|--|-------------------------|----------------------------------|------------------------------------|----------------|-------|
| | | | | | | | | | Yield strength N/mm ² | Tensile strength N/mm ² | Elongation (%) | |
| Regular Flange | 0.45 | 30 / 30 | 92 | 67.50 | 46.00 | 85,776.00 | 1,865.00 | 35.6 | 297-308 | 366-372 | 28-29 | |
| | 0.50 | 30 / 30 | | 75.00 | 46.00 | 95,234.00 | 2,070.00 | 35.6 | 297-308 | 366-372 | 29-30 | |
| | 0.55 | 30 / 30 | | 82.50 | 46.00 | 104,686.00 | 2,276.00 | 35.6 | 297-308 | 366-372 | 29-30 | |
| | 0.60 | 30 / 30 | | 90.00 | 46.00 | 114,121.00 | 2,481.00 | 35.6 | 297-308 | 366-372 | 29-30 | |
| | 0.70 | 28 / 28 | | 100.80 | 46.00 | 132,949.00 | 2,890.00 | 36.3 | 297-308 | 366-372 | 30-31 | |
| | 0.80 | 28 / 28 | | 115.20 | 46.00 | 151,724.00 | 3,298.00 | 36.3 | 297-308 | 366-372 | 30-31 | |
| | 0.90 | 28 / 28 | | 129.60 | 46.00 | 170,445.00 | 3,705.00 | 36.3 | 297-308 | 366-372 | 30-31 | |
| | 1.00 | 28 / 28 | | 144.00 | 46.00 | 189,111.00 | 4,111.00 | 36.2 | 297-308 | 366-372 | 30-31 | |
| | 1.20 | 28 / 28 | | 172.80 | 46.00 | 226,281.00 | 4,919.00 | 36.2 | 297-308 | 366-372 | 30-31 | |
| | 1.50 | 28 / 28 | | 216.00 | 46.00 | 281,634.00 | 6,122.00 | 36.1 | 297-308 | 366-372 | 31-32 | |
| | 0.45 | 30 / 30 | 100 | 71.10 | 50.00 | 104,394.00 | 2,088.00 | 38.3 | 297-308 | 366-372 | 28-29 | |
| | 0.50 | 30 / 30 | | 79.00 | 50.00 | 115,919.00 | 2,318.00 | 38.3 | 297-308 | 366-372 | 29-30 | |
| | 0.55 | 30 / 30 | | 86.90 | 50.00 | 127,429.00 | 2,549.00 | 38.3 | 297-308 | 366-372 | 29-30 | |
| | 0.60 | 30 / 30 | | 94.80 | 50.00 | 138,924.00 | 2,778.00 | 38.3 | 297-308 | 366-372 | 29-30 | |
| | 0.70 | 28 / 28 | | 105.00 | 50.00 | 161,870.00 | 3,237.00 | 39.3 | 297-308 | 366-372 | 30-31 | |
| | 0.80 | 28 / 28 | | 120.00 | 50.00 | 184,757.00 | 3,695.00 | 39.2 | 297-308 | 366-372 | 30-31 | |
| | 0.90 | 28 / 28 | | 135.00 | 50.00 | 207,585.00 | 4,152.00 | 39.2 | 297-308 | 366-372 | 30-31 | |
| | 1.00 | 28 / 28 | | 150.00 | 50.00 | 230,353.00 | 4,607.00 | 39.2 | 297-308 | 366-372 | 30-31 | |
| | 1.20 | 28 / 28 | | 180.00 | 50.00 | 275,715.00 | 5,514.00 | 39.1 | 297-308 | 366-372 | 30-31 | |
| | 1.50 | 28 / 28 | | 225.00 | 50.00 | 343,317.00 | 6,866.00 | 39.1 | 297-308 | 366-372 | 31-32 | |
| | 0.55 | 30 / 30 | 125 | 96.25 | 62.50 | 217,293.00 | 3,476.70 | 47.5 | 297-308 | 366-372 | 29-30 | |
| | 0.60 | 30 / 30 | | 105.00 | 62.50 | 236,936.00 | 3,791.00 | 47.5 | 297-308 | 366-372 | 29-30 | |
| | 0.70 | 28 / 28 | | 122.50 | 62.50 | 276,164.00 | 4,419.00 | 47.5 | 297-308 | 366-372 | 30-31 | |
| | 0.80 | 28 / 28 | | 140.00 | 62.50 | 315,319.00 | 5,045.00 | 47.5 | 297-308 | 366-372 | 30-31 | |
| | 0.90 | 28 / 28 | | 157.50 | 62.50 | 354,399.00 | 5,670.00 | 47.4 | 297-308 | 366-372 | 30-31 | |
| | 1.00 | 28 / 28 | | 175.00 | 62.50 | 393,405.00 | 6,294.00 | 47.4 | 297-308 | 366-372 | 30-31 | |
| | 1.20 | 28 / 28 | | 210.00 | 62.50 | 471,197.00 | 7,539.00 | 47.4 | 297-308 | 366-372 | 30-31 | |
| | 1.50 | 28 / 28 | | 262.50 | 62.50 | 587,333.00 | 9,397.00 | 47.3 | 297-308 | 366-372 | 31-32 | |
| | 0.55 | 30 / 30 | | 150 | 111.10 | 75.00 | 338,955.00 | 4,519.00 | 55.2 | 297-308 | 366-372 | 29-30 |
| | 0.60 | 30 / 30 | | | 121.20 | 75.00 | 369,634.00 | 4,928.00 | 55.2 | 297-308 | 366-372 | 29-30 |
| 0.70 | 28 / 28 | 141.40 | 75.00 | | 430,927.00 | 5,746.00 | 55.2 | 297-308 | 366-372 | 30-31 | | |
| 0.80 | 28 / 28 | 161.60 | 75.00 | | 492,130.00 | 6,562.00 | 55.2 | 297-308 | 366-372 | 30-31 | | |
| 0.90 | 28 / 28 | 181.80 | 75.00 | | 553,245.00 | 7,377.00 | 55.2 | 297-308 | 366-372 | 30-31 | | |
| 1.00 | 28 / 28 | 202.00 | 75.00 | | 614,270.00 | 8,190.00 | 55.1 | 297-308 | 366-372 | 30-31 | | |
| 1.20 | 28 / 28 | 242.40 | 75.00 | | 736,055.00 | 9,814.00 | 55.1 | 297-308 | 366-372 | 30-31 | | |
| 1.50 | 28 / 28 | 303.00 | 75.00 | | 918,067.00 | 12,241.00 | 55.0 | 297-308 | 366-372 | 31-32 | | |

| Track Type | Thickness (mm) | Flange (mm) | Width (mm) | Section Area (mm ²) | Centroid (mm) | Moment of Inertia (I _{xx})(mm ⁴) | Section Modulus (S _x)(mm ³) | Radius of Gyration (mm) | Steel Mechanical Properties | | |
|-------------------|----------------|-------------|------------|---------------------------------|---------------|--|---|-------------------------|----------------------------------|------------------------------------|----------------|
| | | | | | | | | | Yield strength N/mm ² | Tensile strength N/mm ² | Elongation (%) |
| Deep Flange | 0.55 | 50 / 50 | 50 | 82.50 | 25.00 | 39,353.00 | 1,574.00 | 21.84 | 297-308 | 366-372 | 30-31 |
| | 0.80 | | | 120.00 | 25.00 | 56,750.00 | 2,270.00 | 21.7 | 297-308 | 366-372 | 30-31 |
| | 0.90 | | | 135.00 | 25.00 | 63,624.00 | 2,545.00 | 21.7 | 297-308 | 366-372 | 30-31 |
| | 1.20 | | | 180.00 | 25.00 | 83,958.00 | 3,358.00 | 21.6 | 297-308 | 366-372 | 30-31 |
| | 0.55 | 50 / 50 | 64 | 90.20 | 32.00 | 67,372.00 | 2,105.00 | 27.33 | 297-308 | 366-372 | 30-31 |
| | 0.80 | | | 131.20 | 32.00 | 97,365.00 | 3,043.00 | 27.2 | 297-308 | 366-372 | 30-31 |
| | 0.90 | | | 147.60 | 32.00 | 109,253.00 | 3,414.00 | 27.2 | 297-308 | 366-372 | 30-31 |
| | 1.20 | | | 196.80 | 32.00 | 144,544.00 | 4,517.00 | 27.1 | 297-308 | 366-372 | 30-31 |
| | 0.55 | 50 / 50 | 75 | 96.25 | 37.50 | 95,551.00 | 2,548.00 | 31.51 | 297-308 | 366-372 | 30-31 |
| | 0.80 | | | 140.00 | 37.50 | 138,242.00 | 3,686.00 | 31.4 | 297-308 | 366-372 | 30-31 |
| | 0.90 | | | 157.50 | 37.50 | 155,189.00 | 4,138.00 | 31.4 | 297-308 | 366-372 | 30-31 |
| | 1.20 | | | 210.00 | 37.50 | 205,595.00 | 5,483.00 | 31.3 | 297-308 | 366-372 | 30-31 |
| | 0.55 | 50 / 50 | 92 | 105.60 | 46.00 | 150,684.00 | 3,276.00 | 37.77 | 297-308 | 366-372 | 30-31 |
| | 0.80 | | | 153.60 | 46.00 | 218,265.00 | 4,745.00 | 37.7 | 297-308 | 366-372 | 30-31 |
| | 0.90 | | | 172.80 | 46.00 | 245,140.00 | 5,329.00 | 37.7 | 297-308 | 366-372 | 30-31 |
| | 1.20 | | | 230.40 | 46.00 | 325,222.00 | 7,070.00 | 37.6 | 297-308 | 366-372 | 30-31 |
| | 0.55 | 50 / 50 | 100 | 110.00 | 50.00 | 181,826.00 | 3,637.00 | 40.66 | 297-308 | 366-372 | 30-31 |
| | 0.80 | | | 160.00 | 50.00 | 263,484.00 | 5,270.00 | 40.6 | 297-308 | 366-372 | 30-31 |
| | 0.90 | | | 180.00 | 50.00 | 295,974.00 | 5,919.00 | 40.5 | 297-308 | 366-372 | 30-31 |
| | 1.20 | | | 240.00 | 50.00 | 392,858.00 | 7,857.00 | 40.5 | 297-308 | 366-372 | 30-31 |
| 0.55 | 50 / 50 | 150 | 137.50 | 75.00 | 461,799.00 | 6,157.00 | 57.95 | 297-308 | 366-372 | 30-31 | |
| 0.80 | | | 200.00 | 75.00 | 670,217.00 | 8,936.00 | 57.9 | 297-308 | 366-372 | 30-31 | |
| 0.90 | | | 225.00 | 75.00 | 753,324.00 | 10,044.00 | 57.9 | 297-308 | 366-372 | 30-31 | |
| 1.20 | | | 300.00 | 75.00 | 1,001,757.00 | 13,357.00 | 57.8 | 297-308 | 366-372 | 30-31 | |
| 0.55 | 50 / 50 | 200 | 165.00 | 100.00 | 913,647.00 | 9,136.00 | 74.41 | 297-308 | 366-372 | 30-31 | |
| 0.80 | | | 240.00 | 100.00 | 1,326,950.00 | 13,270.00 | 74.4 | 297-308 | 366-372 | 30-31 | |
| 0.90 | | | 270.00 | 100.00 | 1,491,924.00 | 14,919.00 | 74.3 | 297-308 | 366-372 | 30-31 | |
| 1.20 | | | 360.00 | 100.00 | 1,985,658.00 | 19,857.00 | 74.3 | 297-308 | 366-372 | 30-31 | |
| Extra Deep Flange | 0.80 | 70 / 70 | 50 | 152.00 | 25.00 | 76,117.00 | 3,045.00 | 22.4 | 297-308 | 366-372 | 30-31 |
| | 0.90 | | | 171.00 | 25.00 | 85,324.00 | 3,413.00 | 22.3 | 297-308 | 366-372 | 30-31 |
| | 1.20 | | | 228.00 | 25.00 | 112,541.00 | 4,502.00 | 22.2 | 297-308 | 366-372 | 30-31 |
| | 0.80 | 70 / 70 | 64 | 163.20 | 32.00 | 129,321.00 | 4,041.00 | 28.1 | 297-308 | 366-372 | 30-31 |
| | 0.90 | | | 183.60 | 32.00 | 145,090.00 | 4,534.00 | 28.1 | 297-308 | 366-372 | 30-31 |
| | 1.20 | | | 244.80 | 32.00 | 191,876.00 | 5,996.00 | 28.0 | 297-308 | 366-372 | 30-31 |
| | 0.80 | 70 / 70 | 75 | 172.00 | 37.50 | 182,289.00 | 4,861.00 | 32.6 | 297-308 | 366-372 | 30-31 |
| | 0.90 | | | 193.50 | 37.50 | 204,610.00 | 5,456.00 | 32.5 | 297-308 | 366-372 | 30-31 |
| | 1.20 | | | 258.00 | 37.50 | 270,958.00 | 7,226.00 | 32.4 | 297-308 | 366-372 | 30-31 |
| | 0.80 | 70 / 70 | 92 | 185.60 | 46.00 | 284,807.00 | 6,191.00 | 39.2 | 297-308 | 366-372 | 30-31 |
| | 0.90 | | | 208.80 | 46.00 | 319,835.00 | 6,953.00 | 39.1 | 297-308 | 366-372 | 30-31 |
| | 1.20 | | | 278.40 | 46.00 | 424,164.00 | 9,221.00 | 39.0 | 297-308 | 366-372 | 30-31 |
| | 0.80 | 70 / 70 | 100 | 192.00 | 50.00 | 342,211.00 | 6,844.00 | 42.2 | 297-308 | 366-372 | 30-31 |
| | 0.90 | | | 216.00 | 50.00 | 384,364.00 | 7,687.00 | 42.2 | 297-308 | 366-372 | 30-31 |
| | 1.20 | | | 288.00 | 50.00 | 510,001.00 | 10,200.00 | 42.1 | 297-308 | 366-372 | 30-31 |
| | 0.80 | 70 / 70 | 150 | 232.00 | 75.00 | 848,304.00 | 11,311.00 | 60.5 | 297-308 | 366-372 | 30-31 |
| | 0.90 | | | 261.00 | 75.00 | 953,404.00 | 12,712.00 | 60.4 | 297-308 | 366-372 | 30-31 |
| | 1.20 | | | 348.00 | 75.00 | 1,267,461.00 | 16,899.00 | 60.4 | 297-308 | 366-372 | 30-31 |
| | 0.80 | 70 / 70 | 200 | 272.00 | 100.00 | 1,644,397.00 | 16,444.00 | 77.8 | 297-308 | 366-372 | 30-31 |
| | 0.90 | | | 306.00 | 100.00 | 1,848,694.00 | 18,487.00 | 77.7 | 297-308 | 366-372 | 30-31 |
| 1.20 | 408.00 | | | 100.00 | 2,459,921.00 | 24,599.00 | 77.6 | 297-308 | 366-372 | 30-31 | |

Disclaimer:
Information contained in this document is subject to change without prior notice due to our ongoing product development. We recommend referring to the website usgme.com for the most up-to-date and accurate product information.

©2024 Factory of USG Middle East LTD. Co. All rights reserved.

